



SAI-OPTIMA-RT9W-1K

UPS On Line Double Conversion Mono 1KVA 230V PF0.9 3 Tour / Support Schuko DC1K



Características

Technologie: Double conversion en ligne avec IGBT et DSP Forme d'onde: pur sinus Conception à ${}_{\mbox{ACC-RAIL-RK}}$ base de microprocesseur offrant une fiabilité et une polyvalence élevées Capacités intégrées pour la connexion en parallèle avec d'autres unités Installation horizontale ou verticale. Écran LCD Ports de communication USB, RS232, port intelligent SNMP Logiciel de supervision et de gestion. Démarrage à froid et réinitialisation automatique Chargeur de batterie intelligent

Accesorios ACC-SNMP06

https://www.ibdglobal.com/shop/product/sai-optima-rt9w-1k-ups-on-line-double-conversion-mono-1kva-230v-pf0-9-3-tour-pt-1k-ups-on-line-double-conversion-mono-1kva-230v-pf0-9-3-tour-pt-1k-ups-on-line-double-conversion-mono-1kva-230v-pf0-9-3-tour-pt-1k-ups-on-line-double-conversion-mono-1kva-230v-pf0-9-3-tour-pt-1k-ups-on-line-double-conversion-mono-1kva-230v-pf0-9-3-tour-pt-1k-ups-on-line-double-conversion-mono-1kva-230v-pf0-9-3-tour-pt-1k-ups-on-line-double-conversion-mono-1kva-230v-pf0-9-3-tour-pt-1k-ups-on-line-double-conversion-mono-1kva-230v-pf0-9-3-tour-pt-1k-ups-on-line-double-conversion-mono-1kva-230v-pf0-9-3-tour-pt-1k-ups-on-line-double-conversion-mono-1kva-230v-pf0-9-3-tour-pt-1k-ups-on-line-double-conversion-mono-1kva-230v-pf0-9-3-tour-pt-1k-ups-on-line-double-conversion-mono-1kva-230v-pf0-9-3-tour-pt-1k-ups-on-line-double-conversion-mono-1k-ups-on-line-double-conversion-line-double-conversion-line-double-conversion-line-double-conversion-line-double-conversion-line-double-conversion-line-double-conversion-line-double-conversion-line-double-conversion-line-double-conversion-line-double-conversion-line-double-conversion-line-double-conversion-line-double-conversion-line-double-conve support-schuko-dc1k-3044